

Saw Chain						Guide Bars						
						DuraCut™ DXL	PowerCut™ EXL	SpeedCut™ TXL	VersaCut™ VXL	ControlCut™ PXL	AdvanceCut™ SF SX PX GD MLB	Single Rivet SD DG MLE
Pitch	Gauge	Chain Type	Drive Links	Bar Length	Drive Teeth	AT	RN					

STANLEY HYDRAULIC

CS05, CS06												
.325	.050	ControlCut 20BPX	PowerCut 20LPX	078	20	8				200VXLGK095		
	.058	ControlCut 21BPX	PowerCut 21LPX	056	13	7					138PXLBK095	
				064	15	7		158RNBK095			158PXLBK095	
				064	15	8				158VXLGK095		
				066	16	7				168VXLGK095	168PXLBK095	168PXLBK095 168SFGK095
				072	18	8				188VXLGK095	188PXLBK095	188PXLBK095 188SFGK095
				078	20	7		208RNBK095		208VXLGK095		208PXLBK095
	Narrow Kerf 											
	.050		SpeedCut 95TXL	056	13	7			130TXLBK095			130MLBK095
				064	15	7			150TXLBK095			150MLBK095
				066	16	7			160TXLBK095			160MLBK095
				072	18	7			180TXLBK095			180MLBK095
				078	20	7			200TXLBK095			
3/8	.050	AdvanceCut 72V	PowerCut 72EXL, LPX VersaCut 72DPX	070	20	7	200ATMZ095					
CS11												
3/8	.050	AdvanceCut 72V	PowerCut 72EXL, LPX VersaCut 72DPX	082	24	8		240RND196				

STIHL

009, 009L, 010, 011, 012, 015, 017, 018, 018C, 019, 019T, 020, 020 Super, 020T, 023, 023C, 023L, E 10, E 14, E 140, E 180, E 180C, MS 170, MS 171, MS 180, MS 180 C, MS 180 C-B, MS 180 C-BE, MS 181, MS 181C, MS 181C-BE, MS 190T, MS 191 T, MS 192C, MS 192C-E, MS 192 T, MS 192TC, MS 192 T C-E, MS 193, MS 193 T, MS 194 C-E, MS 200, MS 200 T, MS 201C, MS 201 C-E, MS 201 C-EM, MS 201T, MS 201 TC-M, MS 210, MS 210 C, MS 210 C-BE, MS 211, MS 211C, MS 211 C-BE, MS 220, MS 220 Q, MSA 220 C-B, MSE 140, MSE 140 C, MSE 140 C-BQ, MSE 170 C-BQ, MSE 180, MSE 180 C, MSE 180 C-BQ, MSE 200, MSE 210 C-BQ												 PowerSharp® Compatible	
3/8 low profile	.050	ControlCut 91PXL AdvanceCut 91PX	VersaCut 91VXL	044	12	6					120SXEA074	120SDEA074	
				050	14	6					140SXEA074	140SDEA074	
				055	16	6					160SXEA074	160SDEA074	
	.043	AdvanceCut 90PX		044	12	6						124MLEA074	
				050	14	6						144MLEA074	
				055	16	6						164MLEA074	
Pole Pruner† Models: HT 70, HT 73, HT 75, HT 100, HT 101, HT 130, HT 131, HT 250, HT-KM; Some pole pruners may take 1/4" pitch chain.													
3/8 low profile	.050	ControlCut 91PXL AdvanceCut 91PX	VersaCut 91VXL	044	12	6					120SXEA074	120SDEA074	
				050	14	6					140SXEA074	140SDEA074	
				055	16	6					160SXEA074	160SDEA074	
	.043	AdvanceCut 90PX		044	12	6						124MLEA074	
				050	14	6						144MLEA074	
				055	16	6						164MLEA074	

 See saw chain sharpening tools

* See Guard Mate bar-nose tip guards

** See Intenz guide bars.

† ANSI B175.1-2012 and CSA Standard Z62.3 regarding reduced kickback does not apply to pole saws or pruners

For the most current fit-up information visit **OregonProducts.com**

Saw Chain				Guide Bars								
						DuraCut™ DXL	PowerCut™ EXL	SpeedCut™ TXL 	VersaCut™ VXL	ControlCut™ PXL	AdvanceCut™ SF SX PX GD MLB	Single Rivet SD DG MLE
Pitch	Gauge	Chain Type	Drive Links	Bar Length	Drive Teeth	AT	RN					

STIHL

021, 025, 025C, MS 230, MS 230C, MS 230 C-BE, MS 241 C-M, MS 250, MS 250 C, MS 250 C-BE, MS 251, MS 251C, MS 251 C-BE, MS 251 WOOD BOSS

3/8 low profile	.050	ControlCut 91PXL AdvanceCut 91PX	VersaCut 91VXL	044	12	6						120SXEA074	120SDEA074
				050	14	6						140SXEA074	140SDEA074
				055	16	6						160SXEA074	160SDEA074
.325	.050	ControlCut 20BPX	PowerCut 20LPX	062	16	7					160PXLBA074		
				068	18	7							
	.063	ControlCut 22BPX	PowerCut 22LPX	062	16	7					163PXLBA074	163PXBA074	
				068	18	7					183PXLBA074	183PXBA074	
	Narrow Kerf 												
	.050		SpeedCut 95TXL	062	16	7							
068				18	7				180TXLBA074				

MS 261, MS 261 C-M, MS 270, MS 270 C, MS 270 C-B, MS 270 C-QS, MS 271, MS 271 FARM BOSS, MS 280, MS 280 C-BQ, MS 280 C-QS, MS 291, MS 291 C-BEQ

.325	.050	ControlCut 20BPX	PowerCut 20LPX	067	16	7	160ATMD025			160VXLGD025		
				074	18	8	180ATMD025			180VXLGD025		
				081	20	8	200ATMD025					
.325	.063	ControlCut 22BPX	PowerCut 22LPX	063	15	8				153VXLGD025		
				067	16	7	163ATMD025	163RNBD025		163VXLGD025		163SFGD025
				074	18	8	183ATMD025	183RNBD025		183VXLGD025		183SFGD025
				081	20	7	203ATMD025			203SLGD025		

026, 026 Pro, 028, 028 Super, 029, 030, 031, 032, 034, 034 Super, 036, 036P, 036 QS, 041, MS 260, MS 260 Pro, MS 261, MS 261 C-M, MS 261 C-Q, MS 261 C-MQ, MS 290, MS 310, MS 341, MS 360, MS 360 C, MS 360 Pro, MS 360 Q-S, MS 361, MS 361 C, MS 361 C-B, MS 361 C-Q, MS 361R...

.325	.050	ControlCut 20BPX	PowerCut 20LPX	067	16	7	160ATMD025			160VXLGD025		
				074	18	8				180VXLGD025		
				081	20	8	200ATMD025					
.325	.063	ControlCut 22BPX	PowerCut 22LPX	056	13	7						
				063	15	8				153VXLGD025		
				067	16	7	163ATMD025	163RNBD025		163VXLGD025		163SFGD025
				074	18	8	183ATMD025	183RNBD025		183VXLGD025		183SFGD025
				081	20	7				203SLGD025		
3/8	.050	AdvanceCut 72V	PowerCut 72EXL, LPX VersaCut 72DPX	060	16	8	160ATMD025	160RNDD025		160VXLHD025		
				066	18	8	180ATMD025	180RNDD025		180VXLHD025		
				072	20	8	200ATMD025	200RNDD025		200VXLHD025		200SFHD025
				084	24	7	240ATMD025	240RNDD025		240VXLHD025		240SFHD025

...026, 026 Pro, 028, 028 Super, 029, 030, 031, 032, 034, 034 Super, 036, 036P, 036 QS, 041, MS 260, MS 260 Pro, MS 261, MS 261 C-M, MS 261 C-Q, MS 261 C-MQ, MS 290, MS 310, MS 341, MS 360, MS 360 C, MS 360 Pro, MS 360 Q-S, MS 361, MS 361 C, MS 361 C-B, MS 361 C-Q, MS 362, MS 362 R, MS 362 C-M

3/8	.063	AdvanceCut 75V	PowerCut 75EXL, LPX VersaCut 75DPX	060	16	8	163ATMD025	163RNDD025		163VXLHD025		163SFHD025
				066	18	8	183ATMD025	183RNDD025		183VXLHD025		183SFHD025
				072	20	8	203ATMD025	203RNDD025		203VXLHD025		203SFHD025
				077	22	8						
				084	24	7	243ATMD025	243RNDD025				243SFHD025

-  Saw chain complies with low kickback performance requirements
-  Saw chain does not comply with low kickback performance requirements
-  See information on our PowerSharp Kits

For Bar & Chain Combos see pages 1164-1166

Part numbers listed in red are obsolete.

Contact your authorized Oregon distributor for availability.

Saw Chain						Guide Bars						
						DuraCut™ DXL	PowerCut™ EXL	SpeedCut™ TXL	VersaCut™ VXL	ControlCut™ PXL	AdvanceCut™ SF SX PX GD MLB	Single Rivet SD DG MLE
Pitch	Gauge	Chain Type	Drive Links	Bar Length	Drive Teeth	AT	RN					

STIHL

E 20, E 220, MS 311, MS 362, MS 362 C-M, MS 362 C-MQ, MS 362 C-Q, MSE 220, MSE 250 C												
3/8	.050	AdvanceCut 72V	PowerCut 72EXL, LPX VersaCut 72DPX	060	16	8	160ATMD025	160RNDD025		160VXLHD025		
				066	18	8	180ATMD025	180RNDD025		180VXLHD025		
				072	20	8	200ATMD025	200RNDD025		200VXLHD025		200SFHD025
	.063	AdvanceCut 75V	PowerCut 75EXL, LPX VersaCut 75DPX	060	16	8	163ATMD025	163RNDD025		163VXLHD025		163SFHD025
				066	18	8	183ATMD025	183RNDD025		183VXLHD025		183SFHD025
				072	20	8	203ATMD025	203RNDD025		203VXLHD025		203SFHD025
039, 048, MS 362, MS 362 R, MS 362 C-M, MS 390, MS 391												
3/8	.050	AdvanceCut 72V	PowerCut 72EXL, LPX VersaCut 72DPX	060	16	8	160ATMD025	160RNDD025		160VXLHD025		
				066	18	8	180ATMD025	180RNDD025		180VXLHD025		
				072	20	8	200ATMD025	200RNDD025		200VXLHD025		200SFHD025
				084	24	7	240ATMD025	240RNDD025		240VXLHD025		240SFHD025
	.063	AdvanceCut 75V	PowerCut 75EXL, LPX VersaCut 75DPX	060	16	8	163ATMD025	163RNDD025		163VXLHD025		163SFHD025
				066	18	8	183ATMD025	183RNDD025		183VXLHD025		183SFHD025
				072	20	8	203ATMD025	203RNDD025		203VXLHD025		203SFHD025
				077	22	8		223RNDD025				
				084	24	7	243ATMD025	243RNDD025				243SFHD025
038, 038 Super Magnum, 042, 044, 044M, 045, 046, 046M, MS 362, MS 362 R, MS 362 C-M, MS 400 C-M, MS 440, MS 440 Magnum, MS 441, MS 441 C, MS 441 C-M, MS 441 C-MQ, MS 441 R C-M, MS 460, MS 460 Magnum, MS 461, MS 462, MS 462 C-M, MS 462 R, MS 462 R C-M												
3/8	.050	AdvanceCut 72V	PowerCut 72EXL, LPX VersaCut 72DPX	060	16	8	160ATMD025	160RNDD025		160VXLHD025		
				066	18	8		180RNDD025		180VXLHD025		
				072	20	8	200ATMD025	200RNDD025		200VXLHD025		200SFHD025
				084	24	7	240ATMD025	240RNDD025		240VXLHD025		240SFHD025
				091	28	8		280RNDD025				
				098	30	7		300RNDD025				
				105	32	7		320RNDD025				
	.063	AdvanceCut 75V	PowerCut 75EXL, LPX VersaCut 75DPX	060	16	8	163ATMD025	163RNDD025		163VXLHD025		163SFHD025
				066	18	8	183ATMD025	183RNDD025		183VXLHD025		183SFHD025
				072	20	8	203ATMD025	203RNDD025		203VXLHD025		203SFHD025
				077	22	8		223RNDD025				
				084	24	7	243ATMD025	243RNDD025			243SFHD025	
				091	28	8		283RNDD025				
				098	30	7		303RNDD025				
				106	32	8		323RNDD025				
				110	34	7		343RNDD025				
				114	36	7		363RNDD025				
				135	42	7		423RNDD025				

 See saw chain sharpening tools

* See Guard Mate bar-nose tip guards

** See Intenz guide bars.

† ANSI B175.1-2012 and CSA Standard Z62.3 regarding reduced kickback does not apply to pole saws or pruners

For the most current fit-up information visit OregonProducts.com

Saw Chain				Guide Bars								
						DuraCut™ DXL	PowerCut™ EXL	SpeedCut™ 	VersaCut™ VXL	ControlCut™ PXL	AdvanceCut™ SF SX PX GD MLB	Single Rivet SD DG MLE
Pitch	Gauge	Chain Type	Drive Links	Bar Length	Drive Teeth	AT	RN					

STIHL

056, 064, 066, 066 Magnum, MS 500i, MS 500i R, MS 650, MS 660, MS 661 C-M, MS 661 RC-M, MS 661 Magnum, MS 661 Magnum, MS 661 C-M Magnum, MS R C-M Magnum												
3/8	.050	AdvanceCut 72V	PowerCut 72EXL, LPX VersaCut 72DPX	060	16	8	160ATMD025	160RNDD025		160VXLHD025		
				066	18	8	180ATMD025	180RNDD025		180VXLHD025		
				072	20	8	200ATMD025	200RNDD025		200VXLHD025		200SFHD025
				084	24	7	240ATMD025	240RNDD025		240VXLHD025		240SFHD025
				091	28	8		280RNDD025				
				098	30	7		300RNDD025				
				105	32	7		320RNDD025				
3/8	.063	AdvanceCut 75V	PowerCut 75EXL, LPX VersaCut 75DPX	060	16	8	163ATMD025	163RNDD025		163VXLHD025		163SFHD025
				066	18	8	183ATMD025	183RNDD025		183VXLHD025		183SFHD025
				072	20	8	203ATMD025	203RNDD025		203VXLHD025		203SFHD025
				077	22	8		223RNDD025				
				084	24	7	243ATMD025	243RNDD025				243SFHD025
				091	28	8		283RNDD025				
				098	30	7		303RNDD025				
				105	32	7		323RNDD025				
				110	34	7		343RNDD025				
				114	36	7		363RNDD025				
				135	42	7		423RNDD025				
.404	.063		PowerCut 59L, 68LX VersaCut 27X	095	32	7		323RNFD025				
08SEQ, 050, 051, 075, 076, 078, 084, 088, 088M, E 30, MS 880, MS 880 Magnum, MS 880 R, MS 881 Magnum, MS 881 R Magnum, S 10; Some saws may take 3/8" pitch chain.												
.404	.063		PowerCut 59L, 68LX VersaCut 27X	068	21	7		213RNFE031				
				080	25	7		253RNFE031				

SUN JOE

Pole Saws: SWJ800E, SWJ802E, iON8PS												
3/8 low profile	.050	ControlCut 91PXL AdvanceCut 91PX	VersaCut 91VXL	033	8							080SDEA041
SWJ803E												
3/8 low profile	.050	ControlCut 91PXL AdvanceCut 91PX	VersaCut 91VXL	040	10							100SDEA041
SWJ698E												
3/8 low profile	.050	ControlCut 91PXL AdvanceCut 91PX	VersaCut 91VXL	045	12						120SXE041	120SDEA041

-  Saw chain complies with low kickback performance requirements
-  Saw chain does not comply with low kickback performance requirements
-  See information on our PowerSharp Kits

For Bar & Chain Combos see pages 1164-1166

Part numbers listed in red are obsolete.

Contact your authorized Oregon distributor for availability.